FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5


WAVEFRONT ABERRATION
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
IMAGE
HEIGHT
0.03mm
ON THE
OPTICAL AXIS
- 0.005
0.00
0.005
FOCAL POINT (mm)

FIG. 6


WAVEFRONT ABERRATION
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
IMAGE HEIGHT
0.03mm
ON THE
OPTICAL AXIS
- 0.005
0.00
0.005
FOCAL POINT (mm)

FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11


WAVEFRONT ABERRATION
1.00
0.90
0.80
0.70
0.60
0.50
0.40
0.30
0.20
0.10
0.00
IMAGE HEIGHT
0.03mm
ON THE
OPTICAL AXIS
- 0.005
0.00
0.005
FOCAL POINT (mm)

FIG. 12


WAVEFRONT ABERRATION
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
IMAGE
HEIGHT
0.03mm
ON THE
OPTICAL AXIS
- 0.005
0.00
0.005
FOCAL POINT (mm)

FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17


WAVEFRONT ABERRATION
1.00
0.90
0.80
0.70
0.60
0.50
0.40
0.30
0.20
0.10
0.00
IMAGE HEIGHT
0.03mm
ON THE
OPTICAL AXIS
- 0.005
0.00
0.005
FOCAL POINT (mm)

FIG. 18


WAVEFRONT ABERRATION
0.50
0.45
0.40
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
IMAGE
HEIGHT
0.03mm
ON THE
OPTICAL AXIS
- 0.005
0.00
0.005
FOCAL POINT (mm)

FIG. 19



FIG. 20


NA0.50
650nm
635nm
780nm
- 0.002 - 0.001
0.0
0.001
0.002
(mm)
SPHERICAL ABERRATION

FIG. 21



FIG. 22


NA0.50
650nm
635nm
780nm
- 0.002 - 0.001
0.0
0.001
0.002
SPHERICAL ABERRATION
(mm)

FIG. 23

CROSS SECTIONAL VIEW OF EXAMPLE 6 AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =650nm



FIG. 24

CROSS SECTIONAL VIEW OF EXAMPLE 6 AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =780nm (NA0.5)



FIG. 25

DIAGRAM SHOWING SPHERICAL ABERRATION
FOR WAVELENGTH λ =650±10nm IN EXAMPLE 6



FIG. 26

DIAGRAM SHOWING SPHERICAL ABERRATION (NA0.5)
FOR WAVELENGTH λ =780±10nm IN EXAMPLE 6



FIG. 27

DIAGRAM SHOWING SPHERICAL ABERRATION
FOR WAVELENGTH λ =780nm IN EXAMPLE 6



FIG. 28

DIAGRAM SHOWING WAVEFRONT ABERRATION RMS
FOR WAVELENGTH λ =650nm IN EXAMPLE 6



FIG. 29

DIAGRAM SHOWING WAVEFRONT ABERRATION RMS FOR WAVELENGTH λ =780nm (NA0.5) IN EXAMPLE 6



FIG. 30

CROSS SECTIONAL VIEW OF EXAMPLE 7 AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =650nm



FIG. 31

CROSS SECTIONAL VIEW OF EXAMPLE 7 AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =780nm (NA0.5)



FIG. 32

DIAGRAM SHOWING SPHERICAL ABERRATION FOR WAVELENGTH λ =650±10nm IN EXAMPLE 7



FIG. 33

DIAGRAM SHOWING SPHERICAL ABERRATION (NA0.50)
FOR WAVELENGTH λ =780±10nm IN EXAMPLE 7



FIG. 34

DIAGRAM SHOWING SPHERICAL ABERRATION
FOR WAVELENGTH λ =780nm (NA0.60) IN EXAMPLE 7



FIG. 35


DIAGRAM SHOWING WAVEFRONT ABERRATION RMS
FOR WAVELENGTH λ=650nm IN EXAMPLE 7
WAVEFRONT ABERRATION RMS (UNIT λ)
0.2000
0.1800
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
mm
- 0.0020
0.0000
mm
0.0020
DEFOCUS

FIG. 36

DIAGRAM SHOWING WAVEFRONT ABERRATION RMS FOR WAVELENGTH λ =780nm IN EXAMPLE 7



FIG. 37

CROSS SECTIONAL VIEW OF EXAMPLE 8 AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =650nm



FIG. 38

CROSS SECTIONAL VIEW OF EXAMPLE 8 AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =780nm



FIG. 39

DIAGRAM SHOWING SPHERICAL ABERRATION FOR WAVELENGTH λ =650±10nm IN EXAMPLE 8



FIG. 40

DIAGRAM SHOWING SPHERICAL ABERRATION
FOR WAVELENGTH λ =780±10nm IN EXAMPLE 8



FIG. 41

DIAGRAM SHOWING SPHERICAL ABERRATION
FOR WAVELENGTH λ =780nm (NA0.60) IN EXAMPLE 8



FIG. 42


DIAGRAM SHOWING WAVEFRONT ABERRATION RMS
FOR WAVELENGTH λ =650nm IN EXAMPLE 8
WAVEFRONT ABERRATION RMS (UNIT λ)
0.2000
0.1800
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
mm
- 0.0010
0.0000
mm
0.0010
DEFOCUS

FIG. 43


DIAGRAM SHOWING WAVEFRONT ABERRATION RMS
FOR WAVELENGTH λ =780nm IN EXAMPLE 8
WAVEFRONT ABERRATION RMS (UNIT λ)
0.1000
0.0900
0.0800
0.0700
0.0600
0.0500
0.0400
0.0300
0.0200
0.0100
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
mm
- 0.0010
0.0000
mm
0.0010
DEFOCUS

FIG. 44


RELATIONSHIP BETWEEN NUMBER OF DIFFRACTING ANNULAR BANDS AND HEIGHT FROM THE OPTICAL AXIS IN EXAMPLE 6
HMAX 2.0084 (HEIGHT FROM THE OPTICAL AXIS)
((NUMBER OF DIFFRACTING ANNULAR BANDS = PHASE FUNCTION/2 π) IS DEFINED)
SECTION WHERE DIFFRACING POWER IS POSITIVE POWER
SECTION WHERE DIFFRACING POWER IS NEGATIVE POWER
- 50.0000
0
50.0000
NUMBER OF DIFFRACTING ANNULAR BANDS

FIG. 45

RELATIONSHIP BETWEEN NUMBER OF DIFFRACTING ANNULAR BANDS AND HEIGHT FROM THE OPTICAL AXIS IN EXAMPLE 7



FIG. 46


RELATIONSHIP BETWEEN NUMBER OF DIFFRACTING ANNULAR BANDS AND HEIGHT FROM THE OPTICAL AXIS IN EXAMPLE 8
SECTION WHERE DIFFRACING POWER IS NEGATIVE POWER
HMAX 2.0082
(HEIGHT FROM THE OPTICAL AXIS)
SECTION WHERE DIFFRACING POWER IS POSITIVE POWER
- 50.0000
0
50.0000
NUMBER OF DIFFRACTING ANNULAR BANDS

FIG. 47 (a)



POSITIVE DIFFRACTION POWER

FIG. 47 (b)



NEGATIVE DIFFRACTION POWER

FIG. 47 (c)



LENS IN WHICH DIFFRACTION POWER IS NEGATIVE POWER IN THE VICINITY OF OPTICAL AXIS AND IS CHANGED TO POSITIVE POWER FROM MIDDLE POINT

FIG. 47 (d)



LENS IN WHICH DIFFRACTION POWER IS POSITIVE POWER IN THE VICINITY OF OPTICAL AXIS AND IS CHANGED TO NEGATIVE POWER FROM MIDDLE POINT

RELATIONSHIP BETWEEN DIFFRACTION POWER AND ACTUAL SHAPE

FIG. 48



FIG. 49



FIG. 50



FIG. 51



FIG. 52



FIG. 53


NA0.45
- 0.0020
0.0000
0.0020
mm
SPHERICAL ABERRATION

FIG. 54


NA0.60
- 0.02
0.0000
0.02
mm
SPHERICAL ABERRATION

FIG. 55


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.1000
0.0900
0.0800
0.0700
0.0600
0.0500
0.0400
0.0300
0.0200
0.0100
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 56


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.0500
0.0450
0.0400
0.0350
0.0300
0.0250
0.0200
0.0150
0.0100
0.0050
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 57



FIG. 58



FIG. 59



FIG. 60


NA0.65
- 0.0200
0.0000
0.0200
mm
SPHERICAL ABERRATION

FIG. 61


NA0.65
- 0.0100
0.0000
0.0100
mm
SPHERICAL ABERRATION

FIG. 62


NA0.45
- 0.0010
0.0000
0.0200
mm
SPHERICAL ABERRATION

FIG. 63


NA0.65
- 0.0500
0.0000
0.0500
mm
SPHERICAL ABERRATION

FIG. 64


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.1000
0.0900
0.0800
0.0700
0.0600
0.0500
0.0400
0.0300
0.0200
0.0100
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 65


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.2000
0.1800
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 66


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.0500
0.0450
0.0400
0.0350
0.0300
0.0250
0.0200
0.0150
0.0100
0.0050
0.0000
- 0.010
0.00
0.010
mm
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS

FIG. 67



FIG. 68



FIG. 69



FIG. 70



FIG. 71


NA0.65
- 0.0050
0.0000
0.0500
mm
SPHERICAL ABERRATION

FIG. 72


NA0.65
- 0.0020
0.0000
0.0020
mm
SPHERICAL ABERRATION

FIG. 73


NA0.45
- 0.0050
0.0000
0.0050
SPHERICAL ABERRATION
mm

FIG. 74


NA0.65
0.45
- 0.0200
0.0000
0.0200
SPHERICAL ABERRATION
mm

FIG. 75


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.2000
0.1800
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
- 0.010
0.00
0.010
mm
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS

FIG. 76


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.5000
0.4500
0.4000
0.3500
0.3000
0.2500
0.2000
0.1500
0.1000
0.0500
0.0000
- 0.010
0.00
0.010
mm
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS

FIG. 77



FIG. 78



FIG. 79



FIG. 80



FIG. 81



FIG. 82


NA0.65
- 0.0100
0.0000
0.0100
mm
SPHERICAL ABERRATION

FIG. 83


NA0.45
- 0.0200
0.0000
0.0200
mm
SPHERICAL ABERRATION

FIG. 84


NA0.65
0.45
- 0.0050
0.0000
0.0050
mm
SPHERICAL ABERRATION

FIG. 85


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.1000
0.0900
0.0800
0.0700
0.0600
0.0500
0.0400
0.0300
0.0200
0.0100
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.0010
0.0000
0.0010
mm

FIG. 86


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.2000
0.1800
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 87


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.5000
0.4500
0.4000
0.3500
0.3000
0.2500
0.2000
0.1500
0.1000
0.0500
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 88



FIG. 89



FIG. 90



FIG. 91


NA0.60
- 0.0020
0.0000
0.0020
mm
SPHERICAL ABERRATION

FIG. 92


NA0.60
- 0.0020
0.0000
0.0020
mm
SPHERICAL ABERRATION

FIG. 93


NA0.45
- 0.0050
0.0000
0.0050
mm
SPHERICAL ABERRATION

FIG. 94


NA0.60
- 0.0050
0.0000
0.0050
mm
SPHERICAL ABERRATION

FIG. 95


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.2000
0.1800
0.1600
0.1400
0.1200
0.1000
0.0800
0.0600
0.0400
0.0200
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 96


WAVEFRONT ABERRATION RMS
(UNIT: WAVELENGTH)
0.5000
0.4500
0.4000
0.3500
0.3000
0.2500
0.2000
0.1500
0.1000
0.0500
0.0000
IMAGE HEIGHT
0.03 mm
ON THE
OPTICAL AXIS
- 0.010
0.00
0.010
mm

FIG. 97



FIG. 98



CROSS SECTIONAL VIEW OF OBJECTIVE LENS AND ILLUSTRATION SHOWING OPTICAL PATH FOR WAVELENGTH λ =400nm

FIG. 99



FIG. 100



FIG. 101

DIAGRAM SHOWING
SPHERICAL ABERRATION



FIG. 102



FIG. 103


200
220
210
160
150
170
132
122
302
190
141
142
131
111
121
122
301

FIG. 104


200
210
220
160
150
170
140
130
180
50
120
301
190
302
112
60
230
400
111

FIG. 105



FIG. 106



FIG. 107



FIG. 108


305
90
160
150
170
140
130
18
50
120
301
190
302
112
60
230
400
111

FIG. 109



FIG. 110



FIG. 111



FIG. 112 (a)



FIG. 112 (b)



FIG. 113 (a)



FIG. 113 (b)



FIG. 114



FIG. 115 (a)



FIG. 115 (b)



FIG. 116 (a)



FIG. 116 (b)



FIG. 117



FIG. 118



FIG. 119



FIG. 120



FIG. 121



FIG. 122



FIG. 123



FIG. 124



FIG. 125



FIG. 126



FIG. 127



FIG. 128



FIG. 129



FIG. 130



FIG. 131



FIG. 132



FIG. 133


NA0.7
660nm
640nm
650nm
- 0.010
- 0.005
0.0
0.005
0.010
SPHERICAL ABERRATION
(mm)

FIG. 134